

**SLSD HIGH SCHOOL
LEAD IN WATER LAB RESULTS
OCTOBER 2, 2023**

**M.J. Reider Associates, Inc.**ENVIRONMENTAL TESTING LABORATORY
U.S. EPA/PA DEP #06-00003**Certificate of Analysis****Laboratory No.:** 2341033**Report:** 10/17/23**Lab Contact:** Jade S Eversole**Attention:** Dr. Barbra Plohocki
Reported To: EnviraHealth Corporation
1937 Station Ave.
Center Valley, PA 18034**Project Info:** 10-Day TAT Lead in Drinking Water No Pick-Up**Lab ID:** 2341033-01 **Collected By:** Client
Sample Desc: HS1
Notes: L-04
Add'l Info: SLSD HS**Sampled:** 10/02/23 06:47 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	2	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-02 **Collected By:** Client
Sample Desc: HS2
Notes: L-04
Add'l Info: SLSD HS**Sampled:** 10/02/23 06:50 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-03 **Collected By:** Client
Sample Desc: HS3
Notes: L-04
Add'l Info: SLSD HS**Sampled:** 10/02/23 06:53 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Lab ID: 2341033-04 Collected By: Client Sampled: 10/02/23 07:01 Received: 10/11/23 13:20
Sample Desc: HS4 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-05 Collected By: Client Sampled: 10/02/23 07:06 Received: 10/11/23 13:20
Sample Desc: HS5 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	6	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-06 Collected By: Client Sampled: 10/02/23 07:10 Received: 10/11/23 13:20
Sample Desc: HS6 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-07 Collected By: Client Sampled: 10/02/23 07:14 Received: 10/11/23 13:20
Sample Desc: HS7 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	788	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Lab ID: 2341033-08 Collected By: Client Sampled: 10/02/23 07:19 Received: 10/11/23 13:20
Sample Desc: HS8 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	872	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-09 Collected By: Client Sampled: 10/02/23 07:24 Received: 10/11/23 13:20
Sample Desc: HS9 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	15	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-10 Collected By: Client Sampled: 10/02/23 07:26 Received: 10/11/23 13:20
Sample Desc: HS10 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	5	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-11 Collected By: Client Sampled: 10/02/23 07:30 Received: 10/11/23 13:20
Sample Desc: HS11 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	7	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB



107 Angelica Street Reading, PA 19611 www.mjreider.com (610) 374-5129 fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Lab ID: 2341033-12 Collected By: Client Sampled: 10/02/23 07:34 Received: 10/11/23 13:20
Sample Desc: HS12 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	53	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341033-13 Collected By: Client Sampled: 10/02/23 07:35 Received: 10/11/23 13:20
Sample Desc: HS13 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD HS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	3	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Notes and Definitions

L-04 HNO₃ preservative was added to the First Draw Lead container upon receipt at the laboratory to pH <2.



107 Angelica Street Reading, PA 19611 www.mjreider.com (610) 374-5129 fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)

**SLSD MIDDLE SCHOOL
LEAD IN WATER LAB RESULTS
OCTOBER 3, 2023**

**M.J. Reider Associates, Inc.**ENVIRONMENTAL TESTING LABORATORY
U.S. EPA/PA DEP #06-00003**Certificate of Analysis****Laboratory No.:** 2341032**Report:** 10/17/23**Lab Contact:** Jade S Eversole**Attention:** Dr. Barbra Plohocki
Reported To: EnviraHealth Corporation
1937 Station Ave.
Center Valley, PA 18034**Project Info:** 10-Day TAT Lead in Drinking Water No Pick-Up**Lab ID:** 2341032-01 **Collected By:** Client **Sampled:** 10/03/23 06:30 **Received:** 10/11/23 13:20
Sample Desc: M1 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341032-02 **Collected By:** Client **Sampled:** 10/03/23 06:34 **Received:** 10/11/23 13:20
Sample Desc: M2 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341032-03 **Collected By:** Client **Sampled:** 10/03/23 06:38 **Received:** 10/11/23 13:20
Sample Desc: M3 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	5	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Lab ID: 2341032-04 Collected By: Client Sampled: 10/03/23 06:43 Received: 10/11/23 13:20
Sample Desc: M4 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341032-05 Collected By: Client Sampled: 10/03/23 06:46 Received: 10/11/23 13:20
Sample Desc: M5 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	7	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341032-06 Collected By: Client Sampled: 10/03/23 06:51 Received: 10/11/23 13:20
Sample Desc: M6 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	43	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341032-07 Collected By: Client Sampled: 10/03/23 06:54 Received: 10/11/23 13:20
Sample Desc: M7 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	28	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB



107 Angelica Street Reading, PA 19611 www.mjreider.com (610) 374-5129 fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Lab ID: 2341032-08 **Collected By:** Client **Sampled:** 10/03/23 06:59 **Received:** 10/11/23 13:20
Sample Desc: M8 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	10	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341032-09 **Collected By:** Client **Sampled:** 10/03/23 07:04 **Received:** 10/11/23 13:20
Sample Desc: M9 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	14	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341032-10 **Collected By:** Client **Sampled:** 10/03/23 07:06 **Received:** 10/11/23 13:20
Sample Desc: M10 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD MS

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	10	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Notes and Definitions

L-04 HNO₃ preservative was added to the First Draw Lead container upon receipt at the laboratory to pH <2.



107 Angelica Street Reading, PA 19611 www.mjreider.com (610) 374-5129 fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)

**SLSD INTERMEDIATE SCHOOL
LEAD IN WATER LAB RESULTS
OCTOBER 4, 2023**

**M.J. Reider Associates, Inc.**ENVIRONMENTAL TESTING LABORATORY
U.S. EPA/PA DEP #06-00003**Certificate of Analysis****Laboratory No.:** 2341035**Report:** 10/17/23**Lab Contact:** Jade S Eversole**Attention:** Dr. Barbra Plohocki
Reported To: EnviraHealth Corporation
1937 Station Ave.
Center Valley, PA 18034**Project Info:** 10-Day TAT Lead in Drinking Water No Pick-Up**Lab ID:** 2341035-01 **Collected By:** Client
Sample Desc: IM-1
Notes: L-04
Add'l Info: SLSD IM**Sampled:** 10/04/23 06:30 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	13	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341035-02 **Collected By:** Client
Sample Desc: IM-2
Notes: L-04
Add'l Info: SLSD IM**Sampled:** 10/04/23 06:34 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341035-03 **Collected By:** Client
Sample Desc: IM-3
Notes: L-04
Add'l Info: SLSD IM**Sampled:** 10/04/23 06:37 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	35	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Lab ID: 2341035-04 Collected By: Client Sampled: 10/04/23 06:40 Received: 10/11/23 13:20
Sample Desc: IM-4 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD IM

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	2	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341035-05 Collected By: Client Sampled: 10/04/23 06:45 Received: 10/11/23 13:20
Sample Desc: IM-5 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD IM

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	2	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341035-06 Collected By: Client Sampled: 10/04/23 06:47 Received: 10/11/23 13:20
Sample Desc: IM-6 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD IM

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341035-07 Collected By: Client Sampled: 10/04/23 06:51 Received: 10/11/23 13:20
Sample Desc: IM-7 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD IM

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	2	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB



107 Angelica Street Reading, PA 19611 www.mjreider.com (610) 374-5129 fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Lab ID: 2341035-08 Collected By: Client Sampled: 10/04/23 06:56 Received: 10/11/23 13:20
Sample Desc: IM-8 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD IM

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341035-09 Collected By: Client Sampled: 10/04/23 06:59 Received: 10/11/23 13:20
Sample Desc: IM-9 Sample Type: Grab
Notes: L-04
Add'l Info: SLSD IM

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Notes and Definitions

L-04 HNO₃ preservative was added to the First Draw Lead container upon receipt at the laboratory to pH <2.



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)

**SLSD HOPEWELL ELEMENTARY SCHOOL
LEAD IN WATER LAB RESULTS
OCTOBER 5, 2023**

**M.J. Reider Associates, Inc.**ENVIRONMENTAL TESTING LABORATORY
U.S. EPA/PA DEP #06-00003**Certificate of Analysis****Laboratory No.:** 2341030**Report:** 10/17/23**Lab Contact:** Jade S Eversole**Attention:** Dr. Barbra Plohocki
Reported To: EnviraHealth Corporation
1937 Station Ave.
Center Valley, PA 18034**Project Info:** 10-Day TAT Lead in Drinking Water No Pick-Up**Lab ID:** 2341030-01
Sample Desc: HW 1
Notes: L-04
Add'l Info: Hopewell**Collected By:** Client**Sampled:** 10/05/23 06:41**Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341030-02
Sample Desc: HW 2
Notes: L-04
Add'l Info: Hopewell**Collected By:** Client**Sampled:** 10/05/23 06:44**Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341030-03
Sample Desc: HW 3
Notes: L-04
Add'l Info: Hopewell**Collected By:** Client**Sampled:** 10/05/23 06:50**Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	2	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Lab ID: 2341030-04 Collected By: Client Sampled: 10/05/23 06:55 Received: 10/11/23 13:20
Sample Desc: HW 4 Sample Type: Grab
Notes: L-04
Add'l Info: Hopewell

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	6	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341030-05 Collected By: Client Sampled: 10/05/23 07:00 Received: 10/11/23 13:20
Sample Desc: HW 5 Sample Type: Grab
Notes: L-04
Add'l Info: Hopewell

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	2	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341030-06 Collected By: Client Sampled: 10/05/23 07:04 Received: 10/11/23 13:20
Sample Desc: HW 6 Sample Type: Grab
Notes: L-04
Add'l Info: Hopewell

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	8	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341030-07 Collected By: Client Sampled: 10/05/23 07:11 Received: 10/11/23 13:20
Sample Desc: HW 7 Sample Type: Grab
Notes: L-04
Add'l Info: Hopewell

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	5	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Notes and Definitions

L-04 HNO₃ preservative was added to the First Draw Lead container upon receipt at the laboratory to pH <2.



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)

**SLSD LIBERTY BELL ELEMENTARY SCHOOL
LEAD IN WATER LAB RESULTS
OCTOBER 6, 2023**



M.J. Reider Associates, Inc.

ENVIRONMENTAL TESTING LABORATORY
U.S. EPA/PA DEP #06-00003

Certificate of Analysis

Laboratory No.: 2341031

Report: 10/17/23

Lab Contact: Jade S Eversole

Attention: Dr. Barbra Plohocki
Reported To: EnviraHealth Corporation
1937 Station Ave.
Center Valley, PA 18034

Project Info: 10-Day TAT Lead in Drinking Water No Pick-Up

Lab ID: 2341031-01 **Collected By:** Client
Sample Desc: L1
Notes: L-04
Add'l Info: SLSD

Sampled: 10/06/23 06:43 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	10	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341031-02 **Collected By:** Client
Sample Desc: L2
Notes: L-04
Add'l Info: SLSD

Sampled: 10/06/23 06:41 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341031-03 **Collected By:** Client
Sample Desc: L3
Notes: L-04
Add'l Info: SLSD

Sampled: 10/06/23 06:50 **Received:** 10/11/23 13:20
Sample Type: Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)

M.J. Reider Associates, Inc.

Lab ID: 2341031-04 **Collected By:** Client **Sampled:** 10/06/23 06:53 **Received:** 10/11/23 13:20
Sample Desc: L4 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	2	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341031-05 **Collected By:** Client **Sampled:** 10/06/23 06:56 **Received:** 10/11/23 13:20
Sample Desc: L5 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	2	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341031-06 **Collected By:** Client **Sampled:** 10/06/23 07:01 **Received:** 10/11/23 13:20
Sample Desc: L6 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB

Lab ID: 2341031-07 **Collected By:** Client **Sampled:** 10/06/23 07:05 **Received:** 10/11/23 13:20
Sample Desc: L7 **Sample Type:** Grab
Notes: L-04
Add'l Info: SLSD

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	<1	ug/l	1	EPA 200.8 Rev 5.4	10/13/23		MPB



107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.
Additional accreditations by MD (261)



M.J. Reider Associates, Inc.

Notes and Definitions

L-04 HNO₃ preservative was added to the First Draw Lead container upon receipt at the laboratory to pH <2.



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)

**SLSD LEAD IN WATER RETEST LAB RESULTS
FEBRUARY 19, 2024**

**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY
U.S. EPA/PA DEP #06-00003

Certificate of Analysis

Laboratory No.: 2407722**Report:** 02/21/24**Lab Contact:** Jade S Eversole

Attention: Dr. Barbra Plohocki
Reported To: EnviraHealth Corporation
1937 Station Ave.
Center Valley, PA 18034

Project Info: 10-Day TAT Lead in Drinking Water No Pick-Up**Narrative:** HNO₃ preservative was added to the Total Metals containers upon receipt at the laboratory to pH <2.

Lab ID: 2407722-01 **Collected By:** Client **Sampled:** 02/19/24 10:36 **Received:** 02/19/24 12:35
Sample Desc: MS 101-R **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	3	ug/l	1	EPA 200.8 Rev 5.4	02/21/24		MPB

Lab ID: 2407722-02 **Collected By:** Client **Sampled:** 02/19/24 10:58 **Received:** 02/19/24 12:35
Sample Desc: H 213-R **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	192	ug/l	1	EPA 200.8 Rev 5.4	02/21/24		MPB

Lab ID: 2407722-03 **Collected By:** Client **Sampled:** 02/19/24 10:47 **Received:** 02/19/24 12:35
Sample Desc: IM 261 R **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst
Total Metals							
Lead	87	ug/l	1	EPA 200.8 Rev 5.4	02/21/24		MPB

107 Angelica Street • Reading, PA 19611 • www.mjreider.com • (610) 374-5129 • fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)